

Miconazole Cream

BRAND NAME Daktarin® Cream

FORM 2% Miconazole Nitrate Cream

INDICATION Topical treatment of fungal skin infections

DOSE RANGE

TOPICAL CREAM

AGE	DOSE	FREQUENCY	ROUTE
Neonate – 6 months	Small amount	TWO times daily	Topical to affected area

CAUTIONS, CONTRA-INDICATIONS AND SIDE EFFECTS

- See Summary of Product Characteristics and most recent edition of BNF for Children (links below)

FURTHER INFORMATION

- For maximum treatment of candida use both topical cream and oral treatment
- Continue treatment for 10 days after lesions have healed.

LICENSED STATUS Licensed in all ages

LINKS [BNF for Children:](#) / [Electronic Medicines Compendium](#)

APPLICABLE POLICIES [West of Scotland Neonatal Guidelines:](#)

Consult local policy if applicable

Document Number:	002	Supersedes:	001
Prepared by:	WoS Neo pharm group	Checked by	June Grant
Date prepared	Aug 2016	Date updated	October 2023
Updated by	Peter Mulholland/Lauren Williams	Review Date	October 2026

Dose may vary depending on indication, age, renal function, hepatic function, and concomitant medications. This monograph should be used in conjunction with the package insert, BNF for Children, and Summary of Product Characteristics. For further advice contact your clinical pharmacist or pharmacy department.