

## Ursodeoxycholic Acid

**FORM** 250mg/5ml suspension

**INDICATION** Management of Cholestasis

### DOSE RANGE

AGE	DOSE	FREQUENCY	ROUTE
Neonate to 6 months	5 -10mg/kg* (adjust dose according to response)	THREE times daily	Oral

\*10mg/kg dose indicated in cholestasis associated with parenteral nutrition.

### CAUTIONS, CONTRA-INDICATIONS AND SIDE EFFECTS

- See Summary of Product Characteristics and most recent edition of BNF for Children (links below)

**LICENSED STATUS** Unlicensed for this indication

**LINKS** [BNF for Children:](#) / [Electronic Medicines Compendium](#)

**APPLICABLE POLICIES** [West of Scotland Neonatal Guidelines:](#)

Consult local policy if applicable

Document Number:	002	Supersedes:	001
Prepared by:	WoS Neo pharm group	Checked by	Fiona Anderson
Date prepared	Aug 2016	Date updated	October 2023
Updated by	Peter Mulholland/Lauren Williams	Review Date	October 2026

Dose may vary depending on indication, age, renal function, hepatic function, and concomitant medications. This monograph should be used in conjunction with the package insert, BNF for Children, and Summary of Product Characteristics. For further advice contact your clinical pharmacist or pharmacy department.